

NOV. 3, 1999 3:56PM '91

X-426 (Rev. 8-55)

GDP-0003

BJC-LLC

JUDGE DUFFY WILLIAMS

423 2 NO. 1993 P. 133



OAK RIDGE NATIONAL LABORATORY

Owned by
UNION CARBIDE NUCLEAR COMPANY

U.S.A.

POST OFFICE BOX P.
OAK RIDGE, TENNESSEE

MASTER COPY

External Transmittal
Authorized

ORNL

CENTRAL FILES NUMBER

57-8-34

DATE: July 31, 1957

SUBJECT: Investigation of Paducah Ash and Metal Recovery Waste as a Large-Scale Source of Neptunium-237

TO: Distribution

FROM: P. M. Lantz and G. W. Parker

This document consists of 8 pages.
Copy 61 of 76 copies. Series A.

39
ANT

DISTRIBUTION

1. S. Bernstein
2. R. E. Blanco
3. G. E. Boyd
4. R. E. Brooksbank
5. F. R. Bruce
6. C. E. Center
7. R. A. Charpie
8. J. T. Christie
9. D. Cohen
10. F. L. Culler
11. B. B. Cunningham
12. W. K. Easter
13. L. B. Enlet
14. D. E. Ferguson
15. J. R. Flanary
16. J. H. Goode
17. Frank Guzy
18. J. C. Hindman
19. S. J. Horne
20. H. L. Hull
21. C. H. Ice
22. T. R. Jones
23. Victor Katzel
24. P. M. Lantz
25. Robert Lavin
26. R. A. LeDoux
27. W. H. Lewis
28. J. Loeding
29. R. B. Martin
30. W. J. Martin
31. J. V. Morris
32. G. W. Parker
33. R. A. Penneman
34. A. Parge
35. M. E. Ramsey
36. H. M. Roth
37. A. F. Rupp
38. W. D. Sandburg
39. E. M. Shanks
40. E. B. Sheldon
41. J. C. Sheppard
42. T. H. Siddall
43. M. J. Stedwell
44. J. A. Swartout
45. E. H. Taylor
46. R. E. Tolinson
47. A. R. Van Dyken
48. A. M. Weinberg
49-61. Laboratory Records
76. TISE, AEC

This document has been approved for release
by the Office of Public Affairs
DOE/DOE

8/27/99
D.P. Lantzen
D.P. Lantzen

~~RESTRICTED DATA~~

This document contains Restricted Data as defined in the Atomic Energy Act of 1954. Its transmission or the disclosure of its contents in any manner to an unauthorized person is prohibited.

~~NOTICE~~

This document contains information of a preliminary nature and was prepared primarily for internal use of the Oak Ridge National Laboratory. It is subject to revision or correction and therefore does not represent a final report.

~~SECRET COVER SHEET~~

OR0030001

NOV. 3. 1999 3:57PM^{PC}

BJC-HLC

423 2-N0. 1993 PP. 143

Classification Cancelled

Or Emerged To _____

By Authority Of _____

SECRET By L.B. FATELL Date _____



INVESTIGATION OF PADUCAH ASH AND METAL RECOVERY WASTE
AS A LARGE-SCALE SOURCE OF NEPTUNIUM-237

Determination of Hanford Recovered Uranium and Cyclone Separator Ash
for Neptunium Content

In connection with the recent neptunium isolation program at ORNL, a cursory analysis of Savannah River and Hanford Operations last year resulted in the discovery of a moderate amount of neptunium-237 in the uranium oxide¹ at K-25. An initial analysis of Hanford uranium at Paducah in April 1956 revealed that little of the neptunium was contained in the former Redox process material. Subsequently the Hanford Purex Process has been contributing an increasing proportion of the processed uranium.

On or about 3-15-57 Mr. Robert Lavin of the Paducah Technical Development Section informed this group of an apparent discrepancy in plutonium content in their current shipments of uranium oxide to Paducah as reported by Hanford and that determined by the Paducah Laboratory. It was suggested that the difference might be accounted for by the presence of Np²³⁷ in the higher count as the result of different methods of analysis. At our request samples of the Hanford uranium oxide and Paducah cyclone separator ash were submitted for Np²³⁷ analysis.

Results of the oxide and separator ash analyses are tabulated in Table I below.

SECRET

X
CLASSIFICATION CANCELLED
TBD Dever 1-9-96
ADD signature
Single review of CCRP-declassification
document was authorized by DCE Onk
Mr. Niemo of AUG 12.

NOV. 3. 1999 3:57 PM

423 Z NO. 1993 PP. 153

- 3 -

Table 3

Sample Date	Sample Code	Description of Sample	Np^{237} (cc/m/g)	Np^{237} (g/T)
3-16-57	Composite 16 UA	Hanford UO_3	720	0.823
3-16-57	Composite 50k	Hanford UO_3	760	0.869
3-16-57	Cyclone Separator	Cyclone Separator Ash (UF_4)	1.4×10^4	16.015

Later, in view of the encouraging results obtained from the above oxides and ash, it was deemed advisable to examine an accumulation of tower, cyclone separator, and filter ash for Np^{237} .

In order to obtain a clearer picture of the distribution of Np^{237} throughout the Paducah plant, samples were requested from the head end, the product, tails and assumed critical points throughout the metal recovery plant. These samples were removed during the same general period of operation, 5-3-57 thru 5-15-57.

The theoretical yield of neptunium in irradiated normal uranium is expected to range from 2.5-3.0 grams of neptunium for each kilogram of plutonium. Assuming the level of Hanford metal to be 600 grams Pu^{239} per ton then the corresponding Np^{237} yield should be in the region of 1.8 grams per ton of uranium or 1320 cc/m/g UO_3 . This would indicate that ~50% of the Np^{237} produced was being fed into the Paducah plant with the uranium oxide. As indicated by the specific activity of the cyclone separator ash there is a build up of neptunium at the head end of the plant with the non-volatile uranium tetra-fluoride.

- 4 -

The sampling of the stock pile of ash was handled in the following manner: the lot was divided into six groups, a portion was removed from each drum relative to its total weight, the samples from each group were combined, mixed thoroughly, and a composite sample was prepared. Analysis revealed that an excellent source of Np was available for immediate processing with the possibility of a continuous supply. It will be noted in Table II that the Np is predominately in the cyclone separator ash with lots 1, 4, 5, and 6 totaling ~120 grams. This material has been transferred to C.R.N.L. and is currently being processed by the Metal Recovery Plant. Normally the Paducah ash is disposed of at that site by grinding for re-fluorination or dissolution and processing in their Metal Recovery Plant.

Table II

Neptunium Content of Accumulated Ash at Paducah

Date Received	Sample Code	Description of Sample	Approx. Wt. (Tons)	Np^{237} (μ c/m/g)	Np^{237} (g/T)	Total Np^{237} (g)
4-30-57	Comp. # 1	Mixed Ash UF ₄	4	4.3×10^3	4.9	19.7
5-1-57	Comp. # 2	Mixed Ash UF ₄	~5	580	0.66	3.3
5-1-57	Comp. # 3	Mixed Ash UF ₄	~5	1.24×10^3	1.41	7.05
5-3-57	Comp. # 4	Cyclone Separator Ash UF ₄	2	1.8×10^4	20.6	41.2
6-18-57	Comp. # 5	Separator Ash UF ₄	1	5.653	6.47	6.47
6-18-57	Comp. # 6	Separator Ash UF ₄	2.5	1.84×10^4	21.05	52.6

- 5 -

Based on a plant profile analysis in the following Table III it is apparent that most of the Np^{237} is stopped by the tower, cyclone separator and barrier filter, thereby depleting the plant product and tails stream.

Table III
Neptunium Distribution in Paducah Diffusion Process

Date Received	Sample Code	Description of Sample	Np^{237} ($\mu\text{c}/\text{m}^3$)	Np^{237} (g/T)
5-3-57	Serial # 192-D	U_3 Feed	960	1.098
6-18-57	UA-36 150C 21	U_3 Feed	450	0.514
6-18-57	Tower Ash	Current Tower Ash	66	
5-17-57	N-3241	Sludge From Barrier Filter Cleaning Tank	6,680	7.6
5-17-57	N-1636	Liquid From Barrier Filter Cleaning Tank	0	
5-17-57	N-906	Dry Ash From Barrier Filter # 33457	2,712	3.1
5-17-57	N-801	Dry Ash From Barrier Filter # 26444	3,550	4.1
6-18-57	338251, 338253	U_3O_8 Made From Current Product WF ₆	0	
6-18-57	345695, 345749	U_3O_8 Made From Current Tails WF ₆	0	

Neptunium in the Paducah Metal Recovery Plant

Since the Paducah metal recovery plant processes all of the waste from the diffusion plant including the ash from the head end this seemed to be a good

- 6 -

phase to examine for Np^{237} . Samples were taken from the mixer-settler and pulse column raffinates and the corresponding uranyl nitrate strips during a period which was considered representative of normal operation. Since the mixer-settler phase operates only 8 hours per day with the raffinate passing into two pulse column units in parallel, operating full time, the pulse column raffinate stream appeared to be the one to consider for possible Np^{237} recovery. On the basis of the analyses in Table IV approximately 0.6 grams Np^{237} per day is available in the pulse column raffinate for recovery and this could probably be increased by tailoring the process to this end. However, the Np^{237} loss to the mixer-settler and pulse column uranyl nitrate would eventually be recovered on re-cycle in the plant.

Summary

An approximate material balance of neptunium-237 occurring in the Paducah operations and originating in the UO_3 from Hanford Purex Process indicates that most of the element is deposited in the nonvolatile ash collected in the plant head end. No neptunium was found in the product uranium and no samples were available from intermediate stages.

On the basis of a Separator Ash Composite collected from March 25, 1957 through June 15, 1957, neptunium is now accumulating at the rate of about 250 grams per year in this portion of the recycle material. In the existing stock pile of 12 tons of ash of mixed origin, about 120 grams of neptunium was found and is now being processed for neptunium in the ORNL Metal Recovery Plant. An examination of streams in the Paducah Metal Recovery Plant reveals a corresponding neptunium content of about 300 grams of neptunium per year contained in all the feed material. In the existing flow sheet this neptunium is largely discarded to waste.

- 7 -

Table IV

Neptunium in Mixer-Settler and Pulse Column Solutions

5-15-57

Set #1

Sample Code	Description of Sample	Np^{237} ($\mu\text{c/l/ml}$)	Flow Rate (gal/hr)	Np^{237} ($\mu\text{g/hr}$)	Np^{237} ($\mu\text{g/da}$)	Total Np^{237} (μg)	Np^{237} ($\mu\text{g/yr}$)
N-3132	Raffinate From Mixer-Settler	100	120	57.5	460	84.4	168
N-2118	Uranyl Nitrate From Mixer-Settler	32	70	10.7	85.6	15.6	31.4
N-1639	Raffinate From Pulse-Columns	85	70	28.4	682	74.1	249
N-1653	Uranyl Nitrate From Pulse-Columns	52	40	9.9	230	25.9	94.5

Set #2

N-2123	Raffinate From Mixer-Settler	109	120	62.5	500	81.3	182.5
N-2125	Uranyl Nitrate From Mixer-Settler	43	70	14.4	115.2	18.7	42.0
N-2103	Raffinate From Pulse-Columns	65	70	21.7	521	68.1	190
928	Uranyl Nitrate From Pulse-Columns	54	40	10.2	244	31.9	89

~~SECRET~~

NOV. 3. 1999 3:58PM

BUL-LLC

423 Z NO. 1993 P.P. 203

- 6 -

X
REFERENCES

1. G. W. Parker, et al., Chemistry Division Semiannual Progress Report, ORNL-2046, p. 65, March 19, 1956.

X
SEARCHED

TOTAL P.09